



Jacuzzis • Spas • Steam Rooms • Shower Enclosures • Bathtubs • Shower Panels

HEAD OFFICE

Oyster Bath Concepts Pvt. Ltd.

D-73, Okhla Industrial Area, Phase-I, New Delhi - 110020.

Tel.: +91-11-45729000 (100 Hunting Lines), E-mail: info@oysterbath.com

Works

B-19 & 20, M.G. Road, Industrial Area, Ghaziabad

REGIONAL OFFICES & DISPLAY CENTER

NORTH: D-73, Okhla Industrial Area, Phase-I, New Delhi - 110020, Tel.: +91-11-45729000 (100 Hunting Lines), Fax: +91 7838654700, E-mail: info@oysterbath.com, SOUTH: No. 499, East End Main Road, 9th Block, East Jai Nagar, Bangalore - 560069, Tel.: 080-26645448, 26754459, 32952573, Mob.: 08884421000, Fax: +91 7838654700, E-mail: bangalore@oysterbath.com, EAST: P-12, Hide Road, Kolkata - 700048, Tel.: 033-32475841, Mob.: 9339498858, Fax: +91 7838654700, E-mail: kolkata@oysterbath.com, WEST: Unit No. 9, Ground Floor, SGS House, Plot No. 48, Adishankaracharya Marg, Vikhroli, Mumbai - 400083, Tel.: 022-25782792, 25777382, Mob.: 08879088901, E-mail: mumbai@oysterbath.com

CUSTOMER CARE

TOLL FREE NO : 1800-102-8999

Oyster Care No.: +91-11-45729020/30, E-mail: info@oysterbath.com, Oyster Care: oystercare@oysterbath.com

Visit us at: www.oysterbath.com



BATHTUB

COLLECTIONS 2018

VOLUME 2.5



DOVER | (Size : 1800 x 1200 x 620 mm)



FEATURES

- Rectangular acrylic bathtub
- Both sides large cascade fall
- Induction type motion sensor
- Waterfall power adjustable 1.5 HP high efficient motor
- Separate motor to make waterfall change automatically.
- Bathtub filler from overflow
- Electronic control for water volume
- Touch screen control panel
- Chromotherapy Light
- Auto sense hidden diverter and hand shower with decorative LED light
- Pop-up waste
- Water level sensor
- Earth leakage circuit breaker
- Online heater and ozonizer is optional.
- Music-FM radio & Bluetooth

LEISURE FUNCTION

- One motor to make waterfall change automatic




SAFETY FUNCTION:

- Creepage protection, water shortage protection

OPTIONAL

- Ozone

DRAWING & PRE-INSTALLATION





KENN | (Size : 1500 x 1500 x 620 mm)

FEATURES

- Corner acrylic bath tub with stainless steel frame
- 1 HP whirlpool motor for water massage
- Chromotherapy Lights
- Electronic control system
- Headrest X2
- Dry burning protection
- Water massage- 8 hydro jets
- Ozonizer
- Moveable bath filler set
- Earth leakage circuit breaker
- 300 W air pump with 10 air jets
- Automatic pop-up Waste
- Designer aquarium look with stainless steel strip.

DRAWING & PRE-INSTALLATION



VIGOUR | (Size : 1850 x 1500 x 650 mm)

FEATURES

- Rectangular acrylic whirlpool bathtub.
- 2 HP pump with 8 pcs hydro jets
- 400 W pump, 10 pcs air bubble jet with chromotherapy light
- One side waterfall with integrated light
- Underwater chromotherapy Light
- Digital touchpad control panel
- Pop-up hand shower with diverter and mixer
- 1 pcs lounger pillow, 2 pcs headrest



LEISURE FEATURES

- Bottom lights and waterfall light can change colour at the same time

SAFETY FUNCTION

- ELCB

DRAWING & PRE-INSTALLATION




NIXIE | (Size : 1805 x 1500 x 670 mm)

FEATURES

- Rectangle designer acrylic bathtub with illuminated water stream and stainless steel frame
- 4 dorsal small massage jets
- Water massage-8 hydromassage jets
- 1.5 HP whirlpool motor for water massage
- Bathtub mixer with hand shower covered in stainless steel box
- 12 Stainless steel bubble jets
- Water fall under the pillow
- Feather touch control panel
- 300 W air pump with air holes
- Designer headrest
- Chromotherapy light
- Automatic pop-up waste
- Online heater
- Earth leakage circuit breaker

DRAWING & PRE-INSTALLATION



FRONTAL | (Size : 2000 x 2000 x 500 mm)






FEATURES

- Square shape acrylic whirlpool bathtub.
- 2 HP motor for hydromassage.
- 1 HP motor for overflow
- Control panel with Bluetooth
- Big jets 8 pcs, coloured jets 8pcs, small jets 32 pcs.
- Paper filtration pump.

OPTIONAL

- Ozone

DRAWING & PRE-INSTALLATION





ARIKA | (Size : 1850 x 1250 x 650 mm)

FEATURES

- Rectangle acrylic bath with stainless steel frame
- Feather touch digital control panel
- Water massage 8 hydro massage jets
- 1.5 HP whirlpool motor for water massage
- 300 W air pump for air massage
- Bath filler set with 2 HP motor for waterfall
- Designer headrest X2
- Computer control system with back heating 1 set
- Chromotherapy light
- Ozonizer
- Bluetooth enabled
- Variable both sides large waterfall massage
- Earth leakage circuit breaker
- Dry burning protection
- Water level sensor
- Automatic pop-up waste

DRAWING & PRE-INSTALLATION






SYMPHONY | (Size : 1820 x 1820 x 710 mm)

FEATURES

- Corner acrylic bathtub with stainless steel 304 frame
- Feather Touch digital control panel 8 hydromassage jets with integrated colored light
- 2 HP whirlpool motor & 0.80 HP blower
- Air massage-16 air jets extra slim with integrated colored light
- Bath filler set in a stainless steel box
- Designer Headrest
- Remote control
- Ozonizer
- Music-FM radio
- 17" TV screen with hydraulic Lift & DVD player
- Separate hot & cold chamber for commodities
- Earth leakage circuit breaker
- Dry burning protection
- Water level sensor • Automatic pop- up waste

DRAWING & PRE-INSTALLATION



Size : A B C D E F G H I J
SYMPHONY 1820 1820 710 600 600 200 900 1050 300 250
Location of drain
Location of cold and hot water connections
Location of electrical connections




BLISS | (Size : 1850 x 850 x 670 mm)

FEATURES

- Rectangle acrylic bathtub with metallic galvanised frame
- Feather Touch digital control panel
- Water massage- 4 hydromassage jets & 4 slim hydromassage jets
- 800 W high efficient motor for water massage
- Air massage-8 extra slim air jets
- 0.80 HP blower for air massage
- Bath filler set with waterfall
- Headrest x2
- Remote control
- Color changing underwater light
- Music-FM radio
- Ozonizer • Earth leakage circuit breaker
- Dry burning protection • Water level sensor
- Automatic pop-up waste
- Stainless steel box for bath filler set

DRAWING & PRE-INSTALLATION



Size : A B C D E F G H I J
BLISS 1850 850 670 900 400 200 900 1050 750 250
Location of drain
Location of cold and hot water connections
Location of electrical connections




MARENA | (Size : 1830 x 850 mm)

FEATURES

- Round built, Lucite bathtub stainless steel 304 frame
- Feather Touch digital control panel
- Water Massage- 4 Hydromassage Jets
- 800 W high efficient Koller motor for water massage
- Air massage-20 air jets extra slim
- 0.80 HP blower for air massage
- 3 KW online heater for temperature control
- Bath filler set
- Headrest x4
- Color changing underwater light
- Remote control
- Ozonizer
- Music-FM radio
- Earth leakage circuit breaker
- Dry burning protection • Water level sensor
- Automatic pop-up waste • 2 HP motor for water massage

DRAWING & PRE-INSTALLATION



Size : A B C D E F G H I J
MARENA 1830 1830 850 750 900 300 1050 900 950 450
Location of drain
Location of cold and hot water connections
Location of electrical connections




DRIZZLE | (Size : 1850 x 900 x 655 mm)

FEATURES

- Rectangle built, acrylic bathtub with metallic galvanised frame
- Feather Touch digital control panel
- Water massage-5 hydromassage jets & 9 slim hydromassage jets
- 600W highly efficient Koller motor for water massage
- Air massage-14 air jets extra slim
- 0.80 HP blower for air massage
- Bath filler set
- Designer headrest • Remote control
- Color changing underwater light
- Ozonizer • Music-FM radio & Bluetooth
- Earth leakage circuit breaker
- Dry burning protection • Water level sensor
- Automatic pop-up waste • 3KW online heater
- Designer polished wooden frame on the top

DRAWING & PRE-INSTALLATION



Size : A B C D E F G H I J
DRIZZLE 1850 900 655 900 750 300 900 1050 950 450
Location of drain
Location of cold and hot water connections
Location of electrical connections




MESI | (Size : 1850 x 1500 x 720 mm)

FEATURES

- Rectangle built , Lucite bathtub with metallic galvanised frame
- Feather Touch digital control panel
- Water massage-6 hydromassage Jets & 11 slim hydromassage jets
- 1250 High efficient Koller motor for water massage
- Air massage-24 air jets extra slim
- 0.80 HP blower for air massage
- 3 KW online heater for temperature control
- Bath filler set
- Designer headrest x2
- Remote control
- Underwater light-colored
- Ozonizer • Music-FM radio & Bluetooth
- Earth leakage circuit breaker • Dry burning\protection
- Water level sensor • Automatic pop-up waste
- Designer polished wooden frame on the top

DRAWING & PRE-INSTALLATION



Size : A B C D E F G H I J
MESI 1850 1500 720 900 750 300 1050 900 900 450
Location of drain
Location of cold and hot water connections
Location of electrical connections




SEASIDE | (Size : 1850 x 1280 x 670 mm)

FEATURES

- Rectangle Lucite bathtub with metallic galvanised frame & lounger
- Feather Touch digital control panel
- Water massage-4 hydromassage jets & 8 slim hydromassage jets
- 1250 watt efficient Koller motor for water massage "
- Air Massage-12 air jets extra slim
- Bath filler set with water fall
- 0.80 HP blower for air massage
- Headrest x2 • Remote control
- Color changing underwater light
- Ozonizer • Music-FM radio
- Earth leakage circuit breaker
- Dry burning protection
- Water level sensor
- Automatic pop-up waste

DRAWING & PRE-INSTALLATION



Size : A B C D E F G H I J
SEASIDE 1850 1280 670 900 600 200 900 1050 750 250
Location of drain
Location of cold and hot water connections
Location of electrical connections





KINGDOM

| (Size : 1830 x 1220 x 630 mm)

FEATURES

- Corner Lucite rectangle acrylic bathtub with metallic galvanised frame
- Feather Touch digital control panel
- Water massage-8 hydro massage jets
- 800W high efficient Koller Motor for water massage
- Bath Filler Set
- Headrest x2
- Remote control
- Color changing underwater light
- Music-FM radio
- Ozonizer
- Earth leakage circuit breaker
- Dry burning protection
- Water level sensor
- Automatic pop-up waste

DRAWING & PRE-INSTALLATION

Size :

A	B	C	D	E	F	G	H	I	J	
KINGDOM	1830	1220	630	700	500	200	500	650	1650	250

Location of drain

Location of cold and hot water connections

Location of electrical connections

BARWON

| (Size : 1805 x 905 x610 mm)

FEATURES

- Rectangle Lucite acrylic bathtub with stainless steel frame
- Feather Touch digital control panel
- Water massage-6 hydromassage jets
- 600W highly efficient Koller motor for water massage
- Thermostatic bath filler set
- Headrest
- Chromotherapy light
- Ozonizer
- Music-FM radio & Bluetooth
- Earth leakage circuit breaker
- Dry burning protection
- Water level sensor
- Automatic pop-up waste
- *Available in LHS & RHS model

DRAWING & PRE-INSTALLATION

Size :

A	B	C	D	E	F	G	H	I	J
BARWON1805	905	610	400	350	200	400	550	1600	250

Location of drain

Location of cold and hot water connections

Location of electrical connections

CAESOR

| (Size : 1830 x 1220 x 630 mm)

FEATURES

- Rectangle Lucite acrylic bathtub with stainless steel frame
- Separate pneumatic switch to operate whirlpool system & light
- Water massage-8 hydromassage jets
- 800W highly efficient Koller motor for water massage
- Thermostatic bath filler set
- Headrest x2
- Chromotherapy light
- Automatic pop-up waste
- *Available in LHS & RHS model

DRAWING & PRE-INSTALLATION

Size :

A	B	C	D	E	F	G	H	I	J
CAESOR 1850	1280	670	900	600	200	1050	900	750	250

Location of drain

Location of cold and hot water connections

Location of electrical connections

ALPHUZIA

| (Size : 1670 x 762 x 640 mm)

FEATURES

- Corner Lucite rectangle acrylic bathtub with metallic galvanized frame
- Separate pneumatic switch to operate whirlpool system & light
- 6 Hydromassage Jets
- 600W high efficient Koller motor for water massage
- Bath filler set
- Headrest
- Color changing under water light for chromotherapy
- Automatic pop-up waste

DRAWING & PRE-INSTALLATION

Size :

A	B	C	D	E	F	G	H	I	J	
ALPHUZIA	1670	762	640	350	200	400	350	500	1450	250

Location of drain

Location of cold and hot water connections

Location of electrical connections

SANTINO

| (Size : 1488 x 1488 x 700 mm)

FEATURES

- Corner Lucite acrylic bathtub with metallic galvanised frame
- Feather Touch digital control panel
- Water massage-2 hydromassage jets & 7 slim hydromassage jets
- 1250W highly efficient Koller motor for water massage
- Air Massage-10 air jets extra slim
- 0.80 HP blower for air massage
- Bath filler set
- Headrest, shampoo rack, towel rod and grab bar
- Remote control
- Color changing underwater light
- Music-FM radio & Bluetooth
- Ozonizer
- Earth leakage circuit breaker
- Dry burning protection • Water level sensor
- Automatic pop-up waste •*Available in LHS & RHS model

DRAWING & PRE-INSTALLATION

Size :

A	B	C	D	E	F	G	H	I	J	
SANTINO	1820	1320	760	900	400	200	1000	1150	300	250

Location of drain

Location of cold and hot water connections

Location of electrical connections

DANAU

| (Size : 1670 x 762 x 610 mm)

FEATURES

- Rectangle Lucite acrylic bathtub with stainless steel frame
- Feather Touch digital control panel
- 6 Hydromassage jets
- 600W highly efficient Koller motor for water massage
- Thermostatic bath filler set
- Headrest x1
- Chromotherapy light
- Ozonizer
- Music-FM radio & Bluetooth
- Earth leakage circuit breaker
- Dry burning protection
- Water level sensor
- Automatic pop-up waste
- *Available in LHS & RHS

DRAWING & PRE-INSTALLATION

Size :

A	B	C	D	E	F	G	H	I	J	
DANAU	1670	762	640	350	200	400	350	500	1450	250

Location of drain

Location of cold and hot water connections

Location of electrical connections



BONITO | (Size : 1615 x 830 x 725 mm)

FEATURES

- Corner Lucite rectangle acrylic bathtub with metallic galvanised frame
- Feather Touch digital control panel
- Water massage-2 hydromassage jets & 7 slim hydromassage jets
- 600W highly efficient Koller motor for water massage
- Air massage-10 air jets extra slim
- Bath filler set
- Headrest, shampoo rack and towel rod
- Remote control
- Color changing underwater light
- Ozonizer
- Music-FM Radio & Bluetooth
- Earth leakage circuit breaker
- 0.80 HP blower for air massage
- Grab bar

DRAWING & PRE-INSTALLATION

Size :	A	B	C	D	E	F	G	H	I	J
BONITO	1615	830	725	600	200	400	350	500	1450	250

Location of drain

Location of cold and hot water connections

Location of electrical connections



VISTA | (Size : 1790 x 990 x 750 mm)

FEATURES

- Corner Acrylic bathtub with metallic galvanised frame
- Feather Touch digital control panel
- 2 hydromassage jets & 7 slim hydromassage jets
- 1250 W highly efficient Koller motor for water massage
- Air Massage-10 air jets extra slim
- 0.80 HP blower for air massage
- Bath filler set
- Headrest, shampoo rack, towel rod and grab bar.
- Color Changing underwater light
- Music-FM Radio • Ozonizer
- Earth leakage circuit breaker
- Dry burning protection
- Water level sensor
- Automatic pop-up waste
- Available in RHS & LHS model
- Music-FM radio & Bluetooth

DRAWING & PRE-INSTALLATION

Size :	A	B	C	D	E	F	G	H	I	J
VISTA	1790	990	750	400	750	200	400	550	1550	250

Location of drain

Location of cold and hot water connections

Location of electrical connections

ZOLA | (Size : 1720 x 885 x 706 mm)

FEATURES

- Corner Lucite rectangle acrylic bathtub with metallic galvanised frame
- Feather Touch digital control panel
- Water massage-2 hydromassage jets & 7 slim hydromassage jets
- 600 W blower for air massage with 10 extra small air jets
- Air massage-10 air jets extra slim
- 0.80 HP blower for air massage
- Bath filler set
- Headrest, shampoo rack and towel rod
- Remote control
- Color changing underwater light
- Ozonizer • Music-FM radio & Bluetooth
- Earth leakage circuit breaker
- Dry burning protection • Water level sensor
- Automatic pop-up waste • Grab bar
- *Available in LHS & RHS model

DRAWING & PRE-INSTALLATION

Size :	A	B	C	D	E	F	G	H	I	J
ZOLA	1720	885	706	600	200	400	350	500	1450	250

Location of drain

Location of cold and hot water connections

Location of electrical connections



BELLADONNA | (Size : 1488 x 1488 x 700 mm)

FEATURES

- Corner Acrylic bathtub with metallic galvanised frame
- Feather Touch digital control panel
- Water massage-2 hydromassage jets & 7 slim hydromassage jets
- 1250 W highly efficient Koller Motor for water massage
- Air massage-10 air jets extra slim
- 0.80 HP blower for air massage
- Bath filler set
- Headrest x2, shampoo rack, towel rod and grab bar
- Remote control
- Color changing underwater light
- Ozonizer
- Music-FM radio & Bluetooth
- Earth leakage circuit breaker
- Dry burning protection
- Water level sensor • Automatic pop-up waste

DRAWING & PRE-INSTALLATION

Size :	A	B	C	D	E	F	G	H	I	J
BELLADONNA1488	1488	1488	700	600	600	200	850	700	300	250

Location of drain

Location of cold and hot water connections

Location of electrical connections



BERG | (Size : 1805 x 905 x 610 mm)

FEATURES

- Rectangle Lucite acrylic bathtub with stainless steel frame
- Separate pneumatic switch to operate whirlpool system & light
- Water massage-6 hydromassage jets
- 600W highly efficient Koller motor for water massage
- Thermostatic bath filler set
- Headrest
- Chromotherapy light
- Automatic pop-up waste

DRAWING & PRE-INSTALLATION

Size :	A	B	C	D	E	F	G	H	I	J
BERG	1805	905	610	350	400	200	400	550	1600	250

Location of drain

Location of cold and hot water connections

Location of electrical connections



ROSABELLA | (Size : 1306 x 1306 x 688 mm)

FEATURES

- Corner Lucite acrylic bathtub with metallic galvanised frame
- Feather Touch digital control panel
- Water massage-2 hydromassage jets & 7 slim hydromassage jets
- 800W highly efficient Koller motor for water massage
- Air massage-10 air jets extra slim
- 0.80 HP blower for air massage
- Bath filler set
- Headrest, shampoo rack, towel rod and grab bar
- Remote control
- Color changing underwater light
- Ozonizer • Music-FM radio & Bluetooth
- Earth leakage circuit breaker
- Dry burning protection
- Water level sensor • Automatic pop-up waste

DRAWING & PRE-INSTALLATION

Size :	A	B	C	D	E	F	G	H	I	J
ROSABELLA	1306	1306	680	550	500	200	350	500	1100	300

Location of drain

Location of cold and hot water connections

Location of electrical connections




MELISSA | (Size : 1360 x 1360 x 480 mm) 

FEATURES

- Corner Lucite acrylic bathtub with stainless steel frame
- Feather touch digital control panel
- Water massage-6 hydromassage jets
- 600 W highly efficient Koller motor for water massage
- Thermostatic bath filler set
- Headrest
- Chromotherapy light
- Ozonizer
- Music-FM radio & Bluetooth
- Earth leakage circuit breaker
- Dry burning protection
- Water level sensor
- Automatic pop-up waste

DRAWING & PRE-INSTALLATION



Size :	A	B	C	D	E	F	G	H	I	J
MELISSA1360	1360	1360	480	680	680	-	-	-	300	250

Location of drain ☐

Location of cold and hot water connections ⚙⚙

Location of electrical connections ☹






REGALIA | (Size : 1420 x 1420 x 505 mm) 

FEATURES

- Corner Lucite acrylic bathtub with stainless steel frame
- Feather Touch digital control panel
- Water massage-6 hydromassage jets
- 600 W highly efficient Koller motor for water massage
- Thermostatic bath filler set
- Headrest
- Chromotherapy light
- Ozonizer
- Music-FM radio & Bluetooth
- Earth leakage circuit breaker
- Dry burning protection
- Water level sensor
- Automatic pop-up waste

DRAWING & PRE-INSTALLATION



Size :	A	B	C	D	E	F	G	H	I	J
REGALIA 1420	1420	1420	505	1000	650	-	-	-	300	250

Location of drain ☐

Location of cold and hot water connections ⚙⚙

Location of electrical connections ☹




ROLANDO | (Size : 1420 x 1420 x 505 mm)

FEATURES

- Corner Lucite Acrylic Bathtub with Stainless Steel Frame
- Separate Pneumatic Switch to Operate Whirlpool System & Light
- 6 Hydromassage Jets
- 600 High Efficient Koller Motor for Water Massage
- Thermostatic Bath Filler Set & Headrest
- Chromotherapy Light
- Automatic Pop-up Waste

DRAWING & PRE-INSTALLATION



Size :	A	B	C	D	E	F	G	H	I	J
ZOE	1420	1420	505	1000	650	-	-	-	300	250

Location of drain ☐

Location of cold and hot water connections ⚙⚙

Location of electrical connections ☹






VANITO | (Size : 1700 x 970 x 675 mm) 

FEATURES

- Free standing Lucite acrylic bathtub fitted with automatic pop-up waste

DRAWING & PRE-INSTALLATION



Size :	A	B	C	D	E	F	G	H	I	J
VANITO	1700	970	675	600	600	-	-	-	-	-

Location of drain ☐

Location of cold and hot water connections ⚙⚙

Location of electrical connections ☹






ZOE | (Size : 1360 x 1360 x 480 mm)

FEATURES

- Corner Lucite corner acrylic bathtub with metallic galvanised frame
- Separate pneumatic switch to operate whirlpool system & light
- 6 hydro massage jets
- 600W highly efficient Koller motor for water massage
- Bath filler set
- Headrest
- Color changing under water light for chromotherapy
- Automatic pop-up waste

DRAWING & PRE-INSTALLATION



Size :	A	B	C	D	E	F	G	H	I	J
ZOE	1360	1360	480	680	680	-	-	-	300	250

Location of drain ☐

Location of cold and hot water connections ⚙⚙


Location of electrical connections ☹





PLACIDA | (Size : 1360 x 1360 x 505 mm)

DRAWING & PRE-INSTALLATION




Size :	A	B	C	D	E	F	G	H	I	J
PLACIDA 1360	1360	480	680	680	-	-	-	-	-	-



BENELLA | (Size : 1520 x 760 x 525 mm)

DRAWING & PRE-INSTALLATION




Size :	A	B	C	D	E	F	G	H	I	J
BANELLA 1520	760	525	400	350	-	-	-	-	-	-



CHRISTIANO | (Size : 1420 x 1420 x 505 mm)

DRAWING & PRE-INSTALLATION




Size :	A	B	C	D	E	F	G	H	I	J
CHRISTIANO 1420	1420	505	1000	650	-	-	-	-	300	250





BREEDE | (Size : 1805 x 905 x 610 mm)

DRAWING & PRE-INSTALLATION




Size :	A	B	C	D	E	F	G	H	I	J
BREEDE 1805	905	610	400	350	-	-	-	-	-	-





CELESTE | (Size : 1200 x 1200 x 505 mm)

DRAWING & PRE-INSTALLATION




Size :	A	B	C	D	E	F	G	H	I	J
CELESTE 1200	1200	505	400	400	-	-	-	-	-	-



CAROLA | (Size : 1830 x 850 x 505 mm)

DRAWING & PRE-INSTALLATION




Size :	A	B	C	D	E	F	G	H	I	J
CAROLA 1830	850	505	400	350	-	-	-	-	-	-



GABRIELA | (Size : 1500 x 1500 x 438 mm)

DRAWING & PRE-INSTALLATION



Size :	A	B	C	D	E	F	G	H	I	J
GABRIELA 1500	1500	438	750	750	-	-	-	-	-	-


Location of drain 





BATUR | (Size : 1670 x 762 x 640 mm)

DRAWING & PRE-INSTALLATION




Size :	A	B	C	D	E	F	G	H	I	J
BATUR 1670	762	640	400	350	-	-	-	-	-	-





LUCETTA | (Size : 1780 x 1780 x 460 mm)

DRAWING & PRE-INSTALLATION




Size :	A	B	C	D	E	F	G	H	I	J
LUCETTA 1780	1780	460	890	890	-	-	-	-	-	-



FABIO | (Size : 1670 x 765 x 525 mm)

DRAWING & PRE-INSTALLATION



Size :	A	B	C	D	E	F	G	H	I	J
FABIO 1670	765	525	400	350	-	-	-	-	-	-








SIENNA | (Size : 1670 x 915 x 525 mm)

DRAWING & PRE-INSTALLATION




Size :	A	B	C	D	E	F	G	H	I	J
SIENNA	1688	915	525	400	350	-	-	-	-	-




MAXIMUS | (Size : 1810 x 905 x 525 mm)

DRAWING & PRE-INSTALLATION




Size :	A	B	C	D	E	F	G	H	I	J
MAXIMUS	1810	905	525	400	350	-	-	-	-	-





XAVIER | (Size : 1650 x 760 x 525 mm)

DRAWING & PRE-INSTALLATION




Size :	A	B	C	D	E	F	G	H	I	J
XAVIER	1650	763	525	400	350	-	-	-	-	-

Location of drain 



TESSA | (Size : 1815 x 763 x 525 mm)

DRAWING & PRE-INSTALLATION




Size :	A	B	C	D	E	F	G	H	I	J
TESSA	1815	763	525	400	350	-	-	-	-	-

Location of drain 



QUORRA | (Size : 1670 x 940 x 525 mm)

DRAWING & PRE-INSTALLATION




Size :	A	B	C	D	E	F	G	H	I	J
QUORRA	1670	940	525	400	400	-	-	-	1500	300



ALLEGRA | (Size : 1820 x 1218 x 540 mm)

DRAWING & PRE-INSTALLATION




Size :	A	B	C	D	E	F	G	H	I	J
ALLERGRA	1820	1218	540	550	350	-	-	-	-	-



JORDIANA | (Size : 1670 x 1025 x 525 mm)

DRAWING & PRE-INSTALLATION




Size :	A	B	C	D	E	F	G	H	I	J
JORDIANA	1670	1025	525	800	700	-	-	-	-	-

Location of drain 



ISABEL | (Size : 1820 x 905 x 525 mm)

DRAWING & PRE-INSTALLATION




Size :	A	B	C	D	E	F	G	H	I	J
ISABEL	1820	905	525	400	350	-	-	-	-	-



FATHOM | (Size : 1830 x 1220 x 630 mm)

DRAWING & PRE-INSTALLATION




Size :	A	B	C	D	E	F	G	H	I	J
FATHOM	1830	1220	630	500	200	-	-	-	-	-

Location of drain 



OLIVER | (Size : 1360 x 748 x 525 mm)

DRAWING & PRE-INSTALLATION



Size :	A	B	C	D	E	F	G	H	I	J
OLIVER	1360	748	525	400	350	-	-	-	-	-

